

MoTeC Systems USA

World Championship Engine Management and Data Acquisition Systems

Race Car Engineering and Data Acquisition Seminar

Table of Contents

0. Introduction:

- 0.1. Racing in the 1980's and the 2000's; What it takes to win races
- 0.2. The conditions imposed by modern racing
- 0.3. The cost of testing without basic vehicle dynamics knowledge
- 0.4. The cost of testing without data acquisition
- 0.5. How to combine the analytic approach, the intuition and the experience
- 0.6. The amount of accuracy required in modern racecar engineering
- 0.7. The amount of knowledge required in modern racecar engineering
- 0.8. What makes a successful racing team

Part 1: Race Car Dynamics

1 Tire

- 1.01 All the forces acting on the tire
- 1.02 Static and dynamic tire-road friction coefficients
- 1.03 Measure of tire-road friction coefficients
- 1.04 Vertical, lateral, longitudinal and torsion tire deflection
- 1.05 Longitudinal slip ratio
- 1.06 Longitudinal and lateral grip VS vertical load
- 1.07 Effect of vertical load on lateral and longitudinal tire deflection
- 1.08 Effect of vertical load on lateral and longitudinal tire-road friction
- 1.09 Vertical tire deflection and camber
- 1.10 Rolling radius
- 1.11 Slip angle
- 1.12 Measure of slip angles with slip angle sensors
- 1.13 Lateral grip, self alignment moment, vertical load and slip angle
- 1.14 Measure of tire forces on laboratory and in real conditions
- 1.15 Friction ellipse
- 1.16 Friction ellipse, vertical load and slip angle
- 1.17 Friction ellipse, vertical load, slip angle and longitudinal load
- 1.18 Tire rolling resistance with and without slip angle
- 1.19 Influence of tire pressure on longitudinal and lateral grip
- 1.20 Dynamic friction coefficient
- 1.21 Slip angle speed, driving style and tire temperature

2 Tire characteristics influence on handling

- 2.01 Camber, camber thrust, friction ellipse and contact patch area
- 2.02 Influence of positive and negative camber in turn in, braking and traction Situation
- 2.03 Toe, influence of toe out and toe in turn in, braking, and traction situation
- 2.04 Instantaneous turn center with and without slip angles
- 2.05 Yaw angle
- 2.06 Front and rear tire lateral forces sequence at corner entry and exit
- 2.07 Neutral, understeer and oversteer behavior
- 2.08 Understeer, oversteer with braking and acceleration forces
- 2.09 Maximum tire grip and car balance: the perfect situation
- 2.10 Choice of priority between the 4 tires maximum total grip and car balance
- 2.11 Front and rear tire efficiency and balance
- 2.12 Ackermann and reverse Ackermann
- 2.13 Choice of steering geometry with inside and outside tire slip angle forces.
- 2.14 Same lateral forces at different slip angles
- 2.15 Determination of cold and hot tire pressure
- 2.16 Tires wear influence on hot and cold pressure choice
- 2.17 Ambient temperature influence on hot and cold pressure choice
- 2.18 Tire performance and heat cycles

3 Aerodynamics

- 3.01 Basic principles and formulas
- 3.02 Frontal and plan view bodywork area
- 3.03 Track influence on frontal area
- 3.04 Downforce examples
- 3.05 Drag examples
- 3.06 Drag and required engine power
- 3.07 Downforce VS front and rear ride height
- 3.08 Drag VS front and rear ride height
- 3.09 Aerodynamic efficiency VS front and rear ride height
- 3.10 Car balance and ratio between front and rear ride height adjustments
- 3.11 Examples of front wing setting influence on car handling
- 3.12 Wheels aerodynamic lift
- 3.13 Brake ducts
- 3.14 Influence of drafting on aerobalance, drag and downforce
- 3.15 Corner and straight away speeds and ride heights choice
- 3.16 Ride heights dynamic change in corners
- 3.17 Ride heights dynamic change with springs and shocks settings

4 Kinematics

- 4.01 Wheelbases and tracks
- 4.02 Tire lateral deformation and changes in wheelbases and tracks
- 4.03 Ride height measurements
- 4.04 Suspensions DOF (Degrees of Freedom)
- 4.05 2 D front and rear kinematics
- 4.06 Lateral instantaneous center of rotation of the wheel about the ground
- 4.07 Lateral instantaneous center of rotation of the wheel about the chassis
- 4.08 Lateral virtual swing axle

- 4.09 Instantaneous center of rotation of the chassis about the ground (roll center)
- 4.10 Roll center position and distance to suspended mass center of gravity
- 4.11 Influence of roll center position on roll angle
- 4.12 Influence of roll center position on handling
- 4.13 Roll centers movement in chassis roll and heave
- 4.14 Camber change in heave
- 4.15 Camber change in roll
- 4.16 Compromise between camber change in roll and heave
- 4.17 Camber change and lateral tire deflection
- 4.18 Track variations
- 4.19 Roll center position and tires temperatures
- 4.20 2 D side view kinematics
- 4.21 Longitudinal instantaneous center of rotation of the wheel about the ground
- 4.22 Longitudinal instantaneous center of rotation of the wheel about the chassis
- 4.23 Longitudinal virtual swing axle
- 4.24 Instantaneous center of rotation of the chassis about the ground (pitch center)
- 4.25 Pitch center position and distance to suspended mass center of gravity
- 4.26 Influence of pitch center position on pitch angle
- 4.27 Influence of pitch center position on handling
- 4.28 Kinematics and moment of inertia of suspended and non suspended mass inertias
- 4.29 3D Kinematics
- 4.30 Mathematical aspects of 3D Kinematics
- 4.31 Effect of camber and toe setting on kinematics
- 4.32 Effect of steering on kinematics
- 4.33 Roll pitch and yaw axis
- 4.34 Asymmetrical kinematics setting for oval race track
- 4.35 Asymmetrical kinematics setting for road race track
- 4.36 Tire deformation and kinematics
- 4.37 Chassis and suspension compliance and 3D kinematics
- 4.38 3D kinematics software
- 4.39 Caster angle and caster trail
- 4.40 KPI angle and KPI trail
- 4.41 Caster, PKI and tire self alignment torque
- 4.42 Effect of caster, KPI and tire lateral forces on car handling and driver feeling
- 4.43 Effect of caster, KPI and tire longitudinal forces on car handling and driver feeling
- 4.44 Caster trails, KPI trails and tire lateral and longitudinal deflections
- 4.45 Caster trails, KPI trails in steering
- 4.46 Steering effects on camber, ride heights and steering stiffness
- 4.47 Advantages and limits of high caster angles
- 4.48 Compromise between camber variation and steering stiffness
- 4.49 Kinematics of double wishbone suspension
- 4.50 Kinematics of Mac Pherson suspension
- 4.51 Kinematics of trailing arms suspension
- 4.52 Kinematics of Mac Pherson suspension
- 4.53 Kinematics of rear stock car suspension
- 4.54 Other suspension kinematics

5 Dynamics and Weight Transfers

- 5.01 Car center of gravity position measurement
- 5.02 Suspended and non suspended masses
- 5.03 Non suspended masses center of gravity position measurement
- 5.04 Suspended mass center of gravity position measurement
- 5.05 Moment of inertia measurements
- 5.06 Motion ratio
- 5.07 Advantages and disadvantages of variable motion ratio
- 5.08 Variable motion ratio and shock speed
- 5.09 Bump rubber
- 5.10 Advantages and dangers of bump rubber use
- 5.11 Other non linear suspension stiffness
- 5.12 2D 2 wheels lateral weight transfer basics
- 5.13 Lateral suspended weight transfer
- 5.14 Lateral non suspended weight transfer
- 5.15 Elastic and geometric lateral suspended weight transfer
- 5.16 Lateral suspended weight transfer, moment of inertia in roll & roll center position
- 5.17 Importance of the roll center position at the corner entry
- 5.18 3D 4 wheels lateral weight transfer basics
- 5.19 Lateral weight transfer calculation
- 5.20 Lateral weight transfer influence on tire loading
- 5.21 Lateral weight transfer influence on car handling
- 5.22 Springs antiroll bar and shock setting influence on car handling
- 5.23 Steady state and transient car handling
- 5.24 Advantages and disadvantages of roll centers above and under the ground
- 5.25 Roll centers positions and movements and tire lateral stiffness
- 5.26 Lateral weight transfer calculation and roll centers positions movements
- 5.27 Roll centers movements, steering geometry and camber thrust
- 5.28 2D 2 wheels longitudinal weight transfer basics
- 5.29 Longitudinal suspended weight transfer
- 5.30 Longitudinal non suspended weight transfer
- 5.31 Elastic and geometric longitudinal suspended weight transfer
- 5.32 Longitudinal weight transfer, moment of inertia in pitch and pitch center position
- 5.33 Importance of the pitch center position at the beginning of braking & acceleration
- 5.34 3D 4 wheels longitudinal weight transfer basics
- 5.35 Longitudinal weight transfer calculation
- 5.36 Longitudinal weight transfer influence on tire loading
- 5.37 Longitudinal weight transfer influence on car braking and acceleration
- 5.38 Springs antiroll bar and shock setting influence on car braking and acceleration
- 5.39 Steady state and transient car braking and acceleration
- 5.40 Advantages and disadvantages of pitch centers above and under the ground
- 5.41 Pitch centers positions and movements and tire longitudinal stiffness
- 5.42 Longitudinal weight transfer calculation and pitch centers positions movements
- 5.43 Antisquat
- 5.44 Antidive
- 5.45 Antilift
- 5.46 Antisquat, antidive and antilift calculation for different suspensions types
- 5.47 Banking and slope vertical acceleration
- 5.48 Measure of the slope and banking angle with accelerometers
- 5.49 Vertical acceleration effect on suspended and non suspended masses

6 Dampers

- 6.01 Low, medium and high shock speed
- 6.02 Reservoir gas pressure, shaft diameter and shock static force
- 6.03 High speed damping control
- 6.04 Low speed damping control
- 6.05 Influence of the low and high speed adjustments
- 6.06 Mass/Spring System : Static Equation
- 6.07 Mass/Spring System : Dynamic Equation
- 6.08 Mass/Spring/ Damper System and Equations
- 6.09 Damping Ratio
- 6.10 Examples of shock setting influence on car transient and steady state handling
- 6.11 Shock setting influence on roll and pitch angles
- 6.12 Tire contact patch consistency and high speed shock settings
- 6.13 Speed Histograms
- 6.14 Shock speed and shock oil temperature

7 Transmission and Brakes

- 7.01 Speed and RPM graph
- 7.02 Gear ratios chart
- 7.03 Time efficient method of gear ratios choice
- 7.04 Braking limits
- 7.05 Ideal referred braking forces
- 7.06 Use of pressure regulator between front and rear
- 7.07 Thermal effect
- 7.08 Brake pads friction properties
- 7.09 Differential setting and car behavior
- 7.10 ABS and traction control

Part 2 : How to get the most of your data acquisition system.

8 Organizing the work:

- 8.01 Templates organization
- 8.02 Hot keys and color coding
- 8.03 Writing math function
- 8.04 Data acquisition system setting at the workshop
- 8.05 Data acquisition system use on the setup pad
- 8.06 Data acquisition system use at the race or test track
- 8.07 Choice of logging frequencies
- 8.08 Influence of filter, logging rate and zoom on math functions accuracy

9 Some Vehicles Dynamics principles Behind Math Functions

- 9.01 What we can learn from shock's linear potentiometers
- 9.02 What we can learn from lateral accelerometers
- 9.03 What we can learn from inline and vertical accelerometers
- 9.04 What we can learn from the strain gauges
- 9.05 How to find shock's forces
- 9.06 What we can learn from laser sensors

10 Examples of Math Functions

- 10.01 Filtered and non filtered math functions
- 10.02 Shock speed
- 10.03 Wheel Vs chassis movement
- 10.04 Measurement and equation of variable motion ratio
- 10.05 Roll and Pitch due to suspension deflection
- 10.06 Ride heights, roll and pitch and vertical tire deflection with laser sensors
- 10.07 Ride heights, roll and pitch and vertical tire deflection without laser sensors
- 10.08 Altitude of the suspended mass center of gravity
- 10.09 Lateral suspended and non suspended weight transfers
- 10.10 Inline suspended and non suspended weight transfers
- 10.11 Downforce and aerobalance
- 10.12 Advantages and limitations of strain gauges use for downforce measurement
- 10.13 Springs change and ride height adjustments
- 10.14 Wheel speed sensors and differential work

11 Measuring and Comparing Performance

- 11.01 Evaluating under and over steer with the steering trace on ovals
- 11.02 Evaluating under and over steer with the steering trace on road course
- 11.03 Evaluating under and over steer with the steering and the throttle data
- 11.04 Evaluating under and over steer with the gyro
- 11.05 Evaluating transient under and over steer with a 2 lateral accelerometers
- 11.06 Evaluating performances and driving style with the speed, steering, lateral acceleration and throttle data
- 11.07 Comparing performance and driving style with inline, lateral & total acceleration
- 11.08 Comparing driver style and the efficiency of tire use
- 11.09 Comparing driver and car using the variance
- 11.10 Comparing front and rear rolls
- 11.11 Comparing front and rear suspended weight lateral weight transfers
- 11.12 Comparing left and right pitch.
- 11.13 Comparing left and right suspended weight longitudinal weight transfers
- 11.14 Comparing diagonal suspension movements
- 11.15 Comparing diagonal weight transfers
- 11.16 Comparing segment time
- 11.17 Analyzing shock data
- 11.18 Use of shock speed histogram, shock and spring setting
- 11.19 Measuring brake efficiency
- 11.20 The concept of "magic numbers"
- 11.21 Six important magic numbers
- 11.22 Helping the driver to help himself

12 What makes a good data acquisition Engineer

13 Bibliography

14 Interesting racing and racecar engineering web sites

15 Seminar evaluation